

 Date of compilation: 23/11/2022
 Revised: 24/07/2023
 Version: 2 (Replaced 1)

 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

 1.1
 Product identifier:
 Wash & Wax

Other means of identification: Non-applicable 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Bodywork cleaning; product for the cleaning and care of means of transport Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: GARDX INTERNATIONAL LTD LAKE HOUSE, 2 PORT WAY, PORT SOLENT, PO6 4TY PORTSMOUTH - UNITED KINGDOM Phone: +44 (0)1243 376426 product@gardx.co.uk www.gardx.co.uk AUTOMOTOSOL S.R.O RYBNÁ 716/24 PRAHA 1 110 00 CZECH REPUBLIC

1.4 Emergency telephone number: CNN: 1012486. For 24/7 multilingual advice for spill, leak, fire, exposure, or accident call chemtrec @ + 442038850382. NPIS: 0844 892 0111 (healthcare professionals only) or NHS 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

GB CLP Regulation:

+420 222 703288

Classification of this product has been carried out in accordance with GB CLP Regulation. Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

GB CLP Regulation:

Danger



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction. **Precautionary statements:** P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P273: Avoid release to the environment. P280: Wear protective gloves/eye protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER/doctor.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment



Date of compilation: 23/11/2022 Revised: 24/07/2023

Version: 2 (Replaced 1)

SECTION 2: HAZARDS IDENTIFICATION (continued

Supplementary information:

Contains 2-methylisothiazol-3(2H)-one, Isoeugenol.

Substances that contribute to the classification

Sodium dodecylbenzenesulfonate (CAS: 25155-30-0)

Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	% (w/w) < 5
Amphoteric surfactants	% (w/w) < 5
Anionic surfactants	5 <= % (w/w) < 15
perfumes	

Allergenic fragrances: benzyl alcohol (BENZYL ALCOHOL).

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE), N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (LAURYLAMINE DIPROPYLENEDIAMINE), Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture based on anionic, nonionic and amphotheric surfactants

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

	Identification	Chemical name/Classification	Concentratio
	25455 22.0	Sodium dodecylbenzenesulfonate	3 - <10 %
CAS:	25155-30-0	Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	3-<10 %
CAS: 68155-07-7		Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)	1 - <3 %
		Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1-<5%
	60001 00 0	Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	1 - <3 %
CAS: 68891-38-3		Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1-<3%
		1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner	
AS:	97862-59-4	salts	1 - <3 %
		Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	
CAS:	7664-93-9	sulphuric acid	<1 %
CA3. 7004-93-9		Met. Corr. 1: H290; Skin Corr. 1A: H314 - Danger	N 1%
	04.66.2	Diethyl phthalate	<1 %
CAS:	84-66-2		<1 %
	56.04.5	Glycerol	-1.0/
CAS:	56-81-5		<1 %
		sodium hydroxide	
CAS:	1310-73-2	Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Corr. 1A: H314 - Danger	<1 %
		2-methylisothiazol-3(2H)-one	
CAS:	2682-20-4	Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317; EUH071 - Danger	<1 %
-	07 54 4	Isoeugenol	-1.0/
CAS:	97-54-1	Acute Tox. 4: H302+H312+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1A: H317; STOT SE 3: H335 - Warning	<1 %

to that Regulation:



Date of compilation: 23/11/2022 Revised: 24/07/2023 Version: 2 (Replaced 1)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued) Identification Acute toxicity

Identification	Acu	te toxicity	Genus	
Sodium dodecylbenzenesulfonate	LD50 oral	500 mg/kg (ATEi)		
CAS: 25155-30-0	LD50 dermal	Non-applicable		
	LC50 inhalation	Non-applicable		

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. **Unsuitable extinguishing media:**

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:



Date of compilation: 23/11/2022 Revised: 24/07/2023

3 Version: 2 (Replaced 1)

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Minimum Temp.: 4 ºC
 - Maximum Temp.: 40 ºC
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

Identification	Occupationa	I exposure limits
Diethyl phthalate	WEL (8h)	5 mg/m ³
CAS: 84-66-2	WEL (15 min)	10 mg/m ³
Glycerol	WEL (8h)	10 mg/m ³
CAS: 56-81-5	WEL (15 min)	
sodium hydroxide	WEL (8h)	
CAS: 1310-73-2	WEL (15 min)	2 mg/m ³



Date of compilation: 23/11/2022 Revised: 24/07/2023 Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

EH40/2005 Workplace exposure limits, fourth edition, published 2020:				
Identification	Occup	ational exposure lim	iits	
sulphuric acid	WEL (8h)		0.05 mg/m ³	
CAS: 7664-93-9	WEL (15 min)			

DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Sodium dodecylbenzenesulfonate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 25155-30-0	Dermal	80 mg/kg	Non-applicable	57.2 mg/kg	Non-applicable
EC: 246-680-4	Inhalation	52 mg/m ³	52 mg/m ³	52 mg/m³	52 mg/m ³
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	2750 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	175 mg/m³	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N -C8-18(even numbered) acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 97862-59-4	Dermal	Non-applicable	Non-applicable	12.5 mg/kg	Non-applicable
EC: 931-296-8	Inhalation	Non-applicable	Non-applicable	44 mg/m³	Non-applicable
sulphuric acid	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 7664-93-9	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 231-639-5	Inhalation	Non-applicable	0.1 mg/m ³	Non-applicable	0.05 mg/m ³
Diethyl phthalate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 84-66-2	Dermal	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
EC: 201-550-6	Inhalation	Non-applicable	Non-applicable	10.56 mg/m ³	Non-applicable
Glycerol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 56-81-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-289-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	56 mg/m ³
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m³
2-methylisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-239-6	Inhalation	Non-applicable	0.043 mg/m ³	Non-applicable	0.021 mg/m ³

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Sodium dodecylbenzenesulfonate	Oral	13 mg/kg	Non-applicable	13 mg/kg	Non-applicable
CAS: 25155-30-0	Dermal	40 mg/kg	Non-applicable	28.6 mg/kg	Non-applicable
EC: 246-680-4	Inhalation	26 mg/m ³	26 mg/m ³	26 mg/m ³	26 mg/m ³
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	Oral	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	1650 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	52 mg/m ³	Non-applicable
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N -C8-18(even numbered) acyl derivs., hydroxides, inner salts	Oral	Non-applicable	Non-applicable	7.5 mg/kg	Non-applicable
CAS: 97862-59-4	Dermal	Non-applicable	Non-applicable	7.5 mg/kg	Non-applicable
EC: 931-296-8	Inhalation	Non-applicable	Non-applicable	13.04 mg/m ³	Non-applicable
Diethyl phthalate	Oral	Non-applicable	Non-applicable	0.75 mg/kg	Non-applicable
CAS: 84-66-2	Dermal	Non-applicable	Non-applicable	7.5 mg/kg	Non-applicable
EC: 201-550-6	Inhalation	Non-applicable	Non-applicable	2.6 mg/m ³	Non-applicable
Glycerol	Oral	Non-applicable	Non-applicable	229 mg/kg	Non-applicable
CAS: 56-81-5	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-289-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	33 mg/m ³



Date of compilation: 23/11/2022

Revised: 24/07/2023

Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
sodium hydroxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 1310-73-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 215-185-5	Inhalation	Non-applicable	Non-applicable	Non-applicable	1 mg/m³	
2-methylisothiazol-3(2H)-one	Oral	0.053 mg/kg	Non-applicable	0.027 mg/kg	Non-applicable	
CAS: 2682-20-4	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
EC: 220-239-6	Inhalation	Non-applicable	0.043 mg/m ³	Non-applicable	0.021 mg/m ³	
PNEC:						
Identification						
Sodium dodecylbenzenesulfonate	STP	50 mg/L	Fresh water		0.693 mg/L	
CAS: 25155-30-0	Soil	25 mg/kg	Marine water		1 mg/L	
EC: 246-680-4	Intermittent	0.654 mg/L	Sediment (Fresh v	vater)	27.5 mg/kg	
	Oral	0.02 g/kg	Sediment (Marine	Sediment (Marine water)		
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	STP	10000 mg/L	Fresh water	Fresh water		
CAS: 68891-38-3	Soil	7.5 mg/kg	Marine water		0.024 mg/L	
EC: 500-234-8	Intermittent	0.071 mg/L	Sediment (Fresh v	vater)	0.917 mg/kg	
	Oral	Non-applicable	Sediment (Marine	e water)	0.092 mg/kg	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N -C8-18(even numbered) acyl derivs., hydroxides, inner salts	STP	3000 mg/L	Fresh water		0.013 mg/L	
CAS: 97862-59-4	Soil	0.85 mg/kg	Marine water		0.001 mg/L	
EC: 931-296-8	Intermittent	Non-applicable	Sediment (Fresh v	vater)	11.1 mg/kg	
	Oral	Non-applicable	Sediment (Marine	e water)	1.11 mg/kg	
sulphuric acid	STP	8.8 mg/L	Fresh water		0.003 mg/L	
CAS: 7664-93-9	Soil	Non-applicable	Marine water		0 mg/L	
EC: 231-639-5	Intermittent	Non-applicable	Sediment (Fresh v	vater)	0.002 mg/kg	
	Oral	Non-applicable	Sediment (Marine	e water)	0.002 mg/kg	
Diethyl phthalate	STP	2 mg/L	Fresh water		0.012 mg/L	
CAS: 84-66-2	Soil	0.137 mg/kg	Marine water		0.0012 mg/L	
EC: 201-550-6	Intermittent	0.12 mg/L	Sediment (Fresh v	vater)	0.137 mg/kg	
	Oral	0.033 g/kg	Sediment (Marine	e water)	0.0137 mg/kg	
Glycerol	STP	1000 mg/L	Fresh water		0.885 mg/L	
CAS: 56-81-5	Soil	0.141 mg/kg	Marine water		0.088 mg/L	
EC: 200-289-5	Intermittent	8.85 mg/L	Sediment (Fresh v	vater)	3.3 mg/kg	
	Oral	Non-applicable	Sediment (Marine	e water)	0.33 mg/kg	
2-methylisothiazol-3(2H)-one	STP	0.23 mg/L	Fresh water		0.00339 mg/L	
CAS: 2682-20-4	Soil	0.047 mg/kg	Marine water		0.00339 mg/L	
EC: 220-239-6	Intermittent	0.00339 mg/L	Sediment (Fresh v	vater)	Non-applicable	

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

Non-applicable

Sediment (Marine water)

Non-applicable

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

Oral

C.- Specific protection for the hands



As th relial D Eye a		Nitrile, Breakthroug 0.062 mm, Co nixture of severa erefore to be cho	PPE against minor risks (Material: th time: > 480 min, Thickness: nditions of use: Normal) substances, the resistance ecked prior to the applica	product for	ves in case of any sign of dar professional users/industrial tandards EN 420:2004+A1:20	Remarks mage. For prolonged periods of exposure to the s, we recommend using CE III gloves in line with 010 and EN ISO 374-1:2016+A1:2018	
relial D Eye a	bility and has th and face protect	erefore to be ch			ve material can not be o		
N	Pictogram					calculated in advance with total	
(PPE		F	Remarks	
	Mandatory face protection	Panoramic glasse	s against splash/projections.	Clean daily a		ording to the manufacturer's instructions. Use i risk of splashing.	
E Body	y protection						
	Pictogram		PPE		Remarks		
			Replace before any evidence of deterioration. For periods of product for professional/industrial users CE III is recommend regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 3		s CE III is recommended, in accordance with the		
		Anti-	slip work shoes		professional/industrial users	ation. For periods of prolonged exposure to the s CE III is recommended, in accordance with the 0345:2012 y EN 13832-1:2007	
F Addi	tional emergen	cy measures					
	Emergency meas	ure	Standards		Emergency measure	Standards	
	Emergency show		ANSI Z358-1) 3864-1:2011, ISO 3864-4:201	1	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011	
Environr	nental exposure	e controls:		•			
In accord	dance with the c	community legisl	ation for the protection or dditional information see			ed to avoid environmental spillage of	
SECTION 9: PH	HYSICAL AND	CHEMICAL PR	OPERTIES				

Physical state at 20 ºC:	Liquid
Appearance:	Opaque
Colour:	Blue
Odour:	Fruity
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	100 ºC
Vapour pressure at 20 °C:	2348 Pa
Vapour pressure at 50 °C:	12373.35 Pa (12.37 kPa)
Evaporation rate at 20 ºC:	Non-applicable *
Product description:	
*Not relevant due to the nature of the product, not providing information	property of its hazards.



Date of	compilation: 23/11/2022 Revised: 24/07/2023	Version: 2 (Replaced 1)
SECT	ION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)
	Density at 20 ºC:	Non-applicable *
	Relative density at 20 ºC:	1.03
	Dynamic viscosity at 20 ºC:	Non-applicable *
	Kinematic viscosity at 20 ºC:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	8.6 - 9.6 (at 100 %)
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 ºC:	Non-applicable *
	Solubility properties:	Highly water-soluble
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	220 ºC
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable



Date of compilation: 23/11/2022

Revised: 24/07/2023 Version: 2 (Replaced 1)

SECTION 10: STABILITY AND REACTIVITY (continued)

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2) , carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable



Date of compilation: 23/11/2022

Revised: 24/07/2023 Version: 2 (Replaced 1)

SECTION 11: TOXICOLOGICAL INFORMATION (continue

Specific toxicology information on the substances:

Identification		Acute toxicity	Genus
Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)	LD50 oral	>5000 mg/kg	Rat
CAS: 68155-07-7	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	LD50 oral	2335 mg/kg	Rat
CAS: 97862-59-4	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Sodium dodecylbenzenesulfonate	LD50 oral	500 mg/kg (ATEi)	
CAS: 25155-30-0	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
sulphuric acid	LD50 oral	2140 mg/kg	Rat
CAS: 7664-93-9	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
Glycerol	LD50 oral	27200 mg/kg	Rat
CAS: 56-81-5	LD50 dermal	>2000 mg/kg	Guinean pig
	LC50 inhalation	>5.85 mg/L (6 h)	Rat
sodium hydroxide	LD50 oral	>2000 mg/kg	
CAS: 1310-73-2	LD50 dermal	Non-applicable	
	LC50 inhalation	Non-applicable	
2-methylisothiazol-3(2H)-one	LD50 oral	120 mg/kg	Rat
CAS: 2682-20-4	LD50 dermal	242 mg/kg	Rat
	LC50 inhalation	Non-applicable	
Isoeugenol	LD50 oral	1500 mg/kg	Rat
CAS: 97-54-1	LD50 dermal	1100 mg/kg	Rat
	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)	LC50	>1 - 10 mg/L (96 h)		Fish
CAS: 68155-07-7	EC50	>1 - 10 mg/L (48 h)		Crustacean
	EC50	>1 - 10 mg/L (72 h)		Algae
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	LC50	7.1 mg/L (96 h)	Danio rerio	Fish
CAS: 68891-38-3	EC50	7.4 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Algae
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts	LC50	1.9 mg/L (96 h)	N/A	Fish
CAS: 97862-59-4	EC50	6.5 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	4.66 mg/L (72 h)	Desmodesmus subspicatus	Algae
Diethyl phthalate	LC50	61 mg/L (48 h)	Leuciscus idus	Fish
CAS: 84-66-2	EC50	52 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		
sodium hydroxide	LC50	189 mg/L (48 h)	Leuciscus idus	Fish
CAS: 1310-73-2	EC50	33 mg/L	Crangon crangon	Crustacean
	EC50	Non-applicable		



Date of compilation: 23/11/2022

Revised: 24/07/2023

Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION (continued

Identification		Concentration	Species	Genus
2-methylisothiazol-3(2H)-one	LC50	4.77 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 2682-20-4	EC50	0.934 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Non-applicable		

Chronic toxicity:

Identification		Concentration	Species	Genus	
Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)	NOEC	0.07 mg/L	Daphnia magna	Crustacean	
CAS: 68155-07-7	NOEC	Non-applicable			
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	NOEC	0.2 mg/L	Oncorhynchus mykiss	Fish	
CAS: 68891-38-3	NOEC	0.27 mg/L	Daphnia magna	Crustacean	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts	NOEC	0.135 mg/L	Oncorhynchus mykiss	Fish	
CAS: 97862-59-4	NOEC	0.32 mg/L	Daphnia magna	Crustacean	
Diethyl phthalate	NOEC	5 mg/L	Cyprinus carpio	Fish	
CAS: 84-66-2	NOEC	25 mg/L	Daphnia magna	Crustacean	
2-methylisothiazol-3(2H)-one	NOEC	4.93 mg/L	Oncorhynchus mykiss	Fish	
CAS: 2682-20-4	NOEC	0.044 mg/L	Daphnia magna	Crustacean	

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degra	adability	Biodegradab	ility
Alcohols, C12-14(even numbered), ethoxylated < 2.5 EO, sulfates, sodium salts	BOD5	Non-applicable	Concentration	10.5 mg/L
CAS: 68891-38-3	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	100 %
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N -C8-18(even numbered) acyl derivs., hydroxides, inner salts	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 97862-59-4	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	87 %
Diethyl phthalate	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 84-66-2	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	88 %
Glycerol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 56-81-5	COD	Non-applicable	Period	14 days
	BOD5/COD	Non-applicable	% Biodegradable	63 %
2-methylisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 2682-20-4	COD	Non-applicable	Period	28 days
	BOD5/COD	Non-applicable	% Biodegradable	55.8 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification Bioaccumulation potentia		mulation potential	
Diethyl phthalate		BCF	117
CAS: 84-66-2	AS: 84-66-2	Pow Log	2.07
	Potential	High	
Glycerol		BCF	3
CAS: 56-81-5	Pow Log	-1.76	
		Potential	Low
2-methylisothiazol-3(2H)-one		BCF	
CAS: 2682-20-4		Pow Log	-0.49
		Potential	



Date of compilation: 23/11/2022

Revised: 24/07/2023

Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION (continued

Identification	Absor	ption/desorption	Ve	Volatility	
Diethyl phthalate	Кос	Non-applicable	Henry	6.181E-2 Pa·m ³ /mol	
CAS: 84-66-2	Conclusion	Non-applicable	Dry soil	No	
	Surface tension	3.699E-2 N/m (25 ºC)	Moist soil	No	
Glycerol	Кос	Non-applicable	Henry	Non-applicable	
CAS: 56-81-5	Conclusion	Non-applicable	Dry soil	Non-applicable	
	Surface tension	6.516E-2 N/m (25 ºC)	Moist soil	Non-applicable	
2-methylisothiazol-3(2H)-one	Кос	Non-applicable	Henry	0E+0 Pa·m³/mol	
CAS: 2682-20-4	Conclusion	Non-applicable	Dry soil	Non-applicable	
	Surface tension	Non-applicable	Moist soil	Non-applicable	

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class
20 01 29*	detergents containing hazardous substances	Dangerous

Type of waste:

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Detergents (Amendment) (EU Exit) Regulations:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in The Detergents (Amendment) (EU Exit) Regulations. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	% (w/w) < 5
Amphoteric surfactants	% (w/w) < 5
Anionic surfactants	5 <= % (w/w) < 15



Date of compilation: 23/11/2022

Revised: 24/07/2023 Version: 2 (Replaced 1)

SECTION 15: REGULATORY INFORMATION (continued)

Component	Concentration interval
perfumes	

Allergenic fragrances: benzyl alcohol (BENZYL ALCOHOL).

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE), N-(3aminopropyl)-N-dodecylpropane-1,3-diamine (LAURYLAMINE DIPROPYLENEDIAMINE), Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, -tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors: Contains sulphuric acid . Product under the provisions of Article 9. However, products that contain explosives precursors only to such a small extent and in such complex mixtures that the extraction of the explosives precursors is technically extremely difficult should be excluded from the scope of this Regulation.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020. Control of Substances Hazardous to Health Regulations 2002 (as amended)

EH40/2005 Workplace exposure limits.

COSHH-SR24 Storing chemical products (small scale).

COSHH-SR2 Diluting chemical concentrates.

COSHH-SR4 Manual cleaning and disinfecting surfaces.

The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019: SCHEDULE 34 - Amendment of Regulation (EC) No 1223/2009 and related amendments.

The Detergents (Amendment) (EU Exit) Regulations 2020.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

GB CLP Regulation:

Acute Tox. 2: H330 - Fatal if inhaled.
Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.
Acute Tox. 4: H302 - Harmful if swallowed.
Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Eye Dam. 1: H318 - Causes serious eye damage.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Met. Corr. 1: H290 - May be corrosive to metals.
Skin Corr. 18: H314 - Causes severe skin burns and eye damage.
Skin Corr. 18: H314 - Causes skin irritation.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1A: H317 - May cause an allergic skin reaction.



Date of compilation: 23/11/2022

Version: 2 (Replaced 1)

Revised: 24/07/2023

Classification procedure:Skin Sens. 1A: Calculation methodSkin Irrit. 2: Calculation methodEye Dam. 1: Calculation methodAquatic Chronic 3: Calculation methodAdvice related to training:Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.Principal bibliographical sources:http://eur-lex.europa.euhttp://eur-lex.europa.euADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International Air Transport Association ICAO: International Civil Aviation OrganisationCOD: Chemical Oxygen Demand BOD5: Sday biochemical oxygen demand BCF: Bioconcentration 50 LCS0: Lethal Dose 50LCS0: Ethal Concentration 50 ECS0: Effective concentration 50 LCS0 Uctanolwater partition coefficient	SECTION 16: OTHER INFORMATION (continued)	
Skin Sens. 1.*Skin Irrit. 2: Calculation methodSkin Irrit. 2: Calculation methodAquatic Chronic 3: Calculation methodAdvice related to training:Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.Principal bibliographical sources:http://echa.europa.euhttp://echa.europa.euAbreviations and acronyms:ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods codeIATA: International Ari Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BODS: 5day biochemical oxygen demand BCF: Bioconcentration factor LDS0: Lethal Concentration 50LS0: Effective concentration 50	Classification procedure:	
Skin Irrit. 2: Calculation method Eye Dam. 1: Calculation method Aquatic Chronic 3: Calculation method Advice related to training: Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International Maritime dangerous goods code IATA: International Air Transport Association ICOD: Chemical Oxygen Demand BOD5: Sday biochemical oxygen demand BCF: Bioconcentration 50 LCS0: Lethal Concentration 50		
Eye Dam. 1: Calculation methodAquatic Chronic 3: Calculation methodAdvice related to training:Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.Principal bibliographical sources:http://echa.europa.euhttp://echa.europa.euhttp://eur.lex.europa.euADR: European agreement concerning the international carriage of dangerous goods by roadIMDG: International maritime dangerous goods codeIATA: International Air Transport AssociationICAO: International Civil Aviation OrganisationCOD: Chemical Oxygen DemandBOD5: Sday biochemical oxygen demandBCF: Bioconcentration factorLDS0: Lethal Dose 50LCS0: Lethal Concentration 50ECS0: Effective concentration 50		
Aquatic Chronic 3: Calculation methodAdvice related to training:Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.Principal bibliographical sources:http://echa.europa.euhttp://echa.europa.euhttp://eur-lex.europa.euAbbreviations and acronyms:ADR: European agreement concerning the international carriage of dangerous goods by roadIMDG: International maritime dangerous goods codeIATA: International Air Transport AssociationICAO: International Civil Aviation OrganisationCOD: Chemical Oxygen DemandBOD5: Sday biochemical oxygen demandBCF: Bioconcentration factorLDS0: Lethal Dose 50LCS0: Lethal Concentration 50ECS0: Effective concentration 50		
Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BODS: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50		
 interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 	Advice related to training:	
 interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and	
 http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BODS: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 		
http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	Principal bibliographical sources:	
Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50	http://echa.europa.eu	
ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	http://eur-lex.europa.eu	
IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	Abbreviations and acronyms:	
IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	ADR: European agreement concerning the international carriage of dangerous goods by road	
ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	IMDG: International maritime dangerous goods code	
COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	IATA: International Air Transport Association	
BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	ICAO: International Civil Aviation Organisation	
BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	COD: Chemical Oxygen Demand	
LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50	BOD5: 5day biochemical oxygen demand	
LC50: Lethal Concentration 50 EC50: Effective concentration 50	BCF: Bioconcentration factor	
EC50: Effective concentration 50	LD50: Lethal Dose 50	
	LC50: Lethal Concentration 50	
LogPOW: Octanolwater partition coefficient	EC50: Effective concentration 50	
	LogPOW: Octanolwater partition coefficient	
Koc: Partition coefficient of organic carbon	Koc: Partition coefficient of organic carbon	
UFI: unique formula identifier	UFI: unique formula identifier	
IARC: International Agency for Research on Cancer	IARC: International Agency for Research on Cancer	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.